



MA-WA56-DP13

4.9-6.1 GHz Dual Polarization/Dual Slant Subscriber Antenna

MARS 5 GHz Dual Polarized Antenna designed to provide full coverage for the 5 GHz frequency band.

Additional Features:

- · Dual slant if mounted diagonally.
- Efficient and stable performance.
- High gain/size ratio.
- Light weight and durable construction.
- UV protected radome made of polycarbonate suitable for harsh weather installations.
- Easy mounting allowing Az/El adjustment and 45deg. turn installation.





Specifications

Electrical

Frequency range		4.9-6.1 GHz
CAIN two	H-pol	14.5 dBi
GAIN, typ.	V-pol	13.5 dBi
VSWR, max.		1.7 : 1
Polarization _	Dual Pole	Linear, Vertical & Horizontal
Dual	Slant (opt.)	±45° (diamond shape)
3dB Beam-Width, H-Plane, typ.		35°
3dB Beam-Width, E-Plane, typ.		35°
Side Lobes, min.		-10 dB
Cross Polarization, typ.		-15 dB
Front to Back Ratio, min.		-20 dB
Port to Port Isolation, min.		-24 dB
Input power, max.		50 Watt
Input Impedance		50 Ohm
Lightning Protection		DC Grounded

Mechanical

Dimensions (HxWxD)	112 x 112 x 33.5 mm (4.41" x 4.41" x 1.32")
Connector	2 x Right Angle SMA ,Female
Weight	147 gr.
Mounting	See Ordering Options
Radome	UV Protected Polycarbonate
Back Plane	Aluminum protected through chemical passivation.

Environmental

Operating Temperature Range	-55°C to +65°C
Vibration	According to IEC 60721-3-4
Wind Load	200 Km/h (Survival)
Flammability	UL94
Water Proofing	IP-67
Humidity	ETS 300 019-1-4,EN 302 085 (Annex A.1.1)
Salt Fog	According to IEC 68-2-11

ı	Ordering Options
	NAA 14/4 EO DD40

MA-WA56-DP13	Antenna 2 x Right Angle SMA ,Female connectors Suited for MNT-4LU mount
MA-WA56-DP13B	Antenna 2 x Right Angle SMA ,Female connectors with MNT-4LU mount

Patterns are available on our website

MARS Antennas & RF Systems proprietary information

MARS reserves the right to make technical changes or modifications to any of its products and specifications without prior notice and without implementing such changes to prior supplied products. Product images are representative and indicative only. Warranty terms and general conditions of sale are applicable on any purchase of any product, available on MARS website.