

MA-WA21-DP18

2.0 - 2.3 GHz Subscriber Dual Polarized Antenna

MARS 2.1 GHz Dual Polarized Antenna is a wide band antenna designed for LTE, Wi-Fi, LAN, MMDS, WLL and WiMAX applications.

Additional Features:

- Dual slant if mounted diagonally.
- Exceptionally efficient performance.
- High gain/size ratio.
- Aesthetic design.
- Weatherized and durable.



Specifications

Electrical

Frequency range	2.0 - 2.3GHz
GAIN, typ.	18 dBi
VSWR, max.	1.7 : 1
Polarization Dual Pole	Linear, Vertical & Horizontal
3 dB Beam-Width, H-Plane, typ.	19°
3 dB Beam-Width, E-Plane, typ.	19°
Side Lobes, typ.	-12 dB
Cross Polarization, min.	-15 dB
Port to Port Isolation, typ.	-25 dB
Front to Back Ratio, min.	-30 dB
Input power, max.	10 Watt
Input Impedance	50 Ohm
Lightning Protection	DC Grounded

Mechanical

Dimensions (HxWxD)	370 x 370 x 40 mm (14.5" x 14.5" x 1.6")
Weight	1.8 kg.
Connector	2 x N-Type Female
Back Plane	Aluminum; protected through chemical passivation
Radome	UV Protected, Polycarbonate
Mount	MNT-22

Environmental

Operating Temperature Range	-55°C to +65°C
Vibration	According to IEC 60721-3-4
Wind Load	200 km/h (Survival)
Flammability	UL94
Water Proofing	IP-67
Humidity	ETS 300 019-1-4, EN 302 085 (Annex A.1.1)
Salt Fog	According to IEC 68-2-11

Mars Antennas & RF Systems proprietary information

MARS reserves the right to make technical changes or modifications to any of its products and specifications without prior notice and without implementing such changes to prior supplied products. Product images are representative and indicative only. Warranty terms and general conditions of sale are applicable on any purchase of any product, available on MARS website.

3 Hamanor st. Holon 58861, P.O.Box 5 AZOR 58008, Israel

Tel: +972-3-5599661

Fax: +972-3-5599677

e-mail: mars@marsant.co.il

web: www.mars-antennas.com